

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/815096.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 11:25
S2	1	10/818622.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 14:08
S3	2	"4500919".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:14
S4	0	((soft adj proof\$4) (preview)) same (display\$2 show\$4 demosntrat\$4 (view \$4 adj station)) same measurement same calbrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:31
S5	10	((soft adj proof\$4) (preview)) same (display\$2 show\$4 demosntrat\$4 (view \$4 adj station)) same measurement same calibrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:32
S6	10	((soft adj proof\$4) (preview)) same (display\$2 show\$4 demosntrat\$4 (view \$4 adj station)) same measurement same calibrat\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:32
S7	46	((soft adj proof\$4) (preview)) same measurement same calibrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 15:35

S8	51	"205998"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:31
S9	560	bat same mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:32
S10	10	((soft adj proof\$4) (preview)) same (display\$2 show\$4 demosntrat\$4 (view \$4 adj station)) same measurement same calibrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 11:09
S11	1	11/686001	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 11:15
S12	1	11/686001.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 11:15
S13	2	"6480202".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 11:16
S14	4	"7209147".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 11:17
S15	1	10/039668.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 11:20

S16	2	"5739809".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 11:28
S17	2	"5339011".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:07
S18	2	"6587116".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:23
S19	2	"6750992".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:33
S20	103035	((view\$4 near2 station) display) same (image picture) same (calibrat\$4 adjust\$4 improv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:57
S21	93	S20 and (soft near2 proof\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:58
S22	59	(soft near2 proof\$4) with ((view\$4 near2 station) display) same (image picture) same (calibrat\$4 adjust\$4 improv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:58
S23	2	"6232954".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:09

S24	0	(view near2 condition) same calibrat\$4 same ((less equal) near4 maximum near4 magnitud near4 error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:28
S25	0	(view near2 condition) same calibrat\$4 same ((less equal) near4 magnitud near4 error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:34
S26	0	(view near2 condition) same calibrat\$4 same ((less equal) same magnitud near4 error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:35
S27	5	(view near2 condition) same calibrat\$4 same ((less equal) same error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:35
S28	0	(soft near2 proof\$4) same calibrat\$4 same ((less equal) near4 magnitud near4 error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:40
S29	0	(soft near2 proof\$4) same calibrat\$4 same ((less equal) same (magnitud near4 error))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:42
S30	6	(soft near2 proof\$4) same calibrat\$4 same ((less equal) same error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:42
S31	12	(soft near2 proof\$4) same ((less equal) same error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:54

S32	13	calibrat\$4 same ((less equal) same magnitud same error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:55
S33	2	"4500919".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:24
S34	2	"4623938".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:28
S35	2	"4749907".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:29
S36	2	"4,926,254".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:31
S37	2	"4,958,220".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:33
S38	2	"4,970,584".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:40
S39	2	"5,027,196".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:41

S40	8	((soft adj proof\$4) (preview)) same measurement same calibrat\$4 same error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:46
S41	0	support\$4 same (calibrat\$4 fix\$4) same ((view\$4 near2 condition) display\$4) same (less equal) same (maximum near5 magnitud near5 error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:50
S42	0	support\$4 same (calibrat\$4 fix\$4) same (less equal) same (maximum near5 magnitud near5 error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:50
S43	0	(calibrat\$4 fix\$4) same (less equal) same (maximum near5 magnitud near5 error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:50
S44	1	support\$4 same (calibrat\$4 fix\$4) same (less equal) same (magnitud near5 error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:51
S45	6	(calibrat\$4 fix\$4) same (less equal) same (magnitud near5 error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:51
S46	0	support\$4 same (calibrat\$4 fix\$4) same ((view\$4 near2 condition) display\$4 preview (print preview)) same (less equal) same (maximum near5 magnitud near5 error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:54

S47	2	"5,083,195".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:57
S48	2	"6,027,201".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:58
S49	38	("3612753" "4500919" "4717954" "4721951" "4839722" "4929978" "4959711" "5065234" "5121196" "5258810" "5309257" "5313291" "5333069" "5339176" "5363318").PN. OR ("6027201").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/07 15:59
S50	0	maximum adj magnitud adj error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 16:09
S51	0	maximum near4 magnitud near4 error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 16:09
S52	37	maximum same magnitud same error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 16:09
S53	5	print\$4 same preview \$4 same calibrat\$4 same error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 16:12

S54	0	(soft near2 proof\$4) same (calibrat\$4 adjust\$4) same ((less equal) near4 magnitud near4 error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/08 14:01
S55	1950	((soft near3 proof\$4) (preview)) same (calibrat\$4 adjust\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/08 14:02
S56	0	((soft near3 proof\$4) (preview)) same (calibrat\$4 adjust\$4) same (magnitud near4 maximum near4 error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/08 14:03
S57	62	((soft near3 proof\$4) (preview)) same (calibrat\$4 adjust\$4) same (error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/08 14:03
S58	2	((soft near3 proof\$4) same (calibrat\$4 adjust\$4)) and (certif \$4 same measurement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 15:43
S59	916	((calibrat\$4 adjust \$4)) and (certif\$4 same measurement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 15:46
S60	105	(calibrat\$4 adjust\$4) same ((certif\$4 legit \$4) near4 measure \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:26
S61	15	((view\$4 near3 station) device) same (calibrat\$4 adjust\$4) same ((certif\$4 legit \$4) near4 measure \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:30

S62	3	((view\$4 near3 station) display) same (calibrat\$4 adjust\$4) same ((certif\$4 legit\$4) near4 measure\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:46
S63	1	display same (calibrat\$4 adjust\$4) same ((certif\$4 legit\$4) near4 measure\$4) same list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 07:52
S64	1	display same (calibrat\$4 adjust\$4) same (list table) same ((certif\$4 legit\$4) near4 measure\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 07:53
S65	4	(calibrat\$4 adjust\$4) same (list table) same ((certif\$4 legit\$4) near4 measure\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 07:54
S66	2	"6615390".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 08:21

4/10/2008 4:35:34 PM

C:\Documents and Settings\icruz\My Documents\EAST\Workspaces\10815096.wsp